Date: _____



Patient's Name:

Benzodiazepine Treatment Agreement

This BENZODIAZEPINE medication_	is being used to manage or control symptoms o
	My specific goals with this treatment are to
	I understand that
memory, increased response time and impair falls. If I am over 65 years of age, I may be especare not recommended for use beyond 4-6	and carries other risks such as drug interactions, sedation, confusion, poor ed coordination which may increase the risk of motor vehicle accidents an cially sensitive to these side-effects. In most situations, benzodiazepine weeks. Given the risks associated with this class of medications, many benzodiazepines to me at any time during the course of my treatment ether continued use could likely harm me.
While on benzodiazepine medication, I a	gree to abide by the following conditions:
will prescribe the BENZODIAZEPINE me obtain benzodiazepines from any other process.	prescriberwill be the only prescriber(s) whe dicationfor me. I will not seek to prescriber. Incase of a situation where I receive a BENZODIAZEPINE from as soon as possible. Non-compliance will result in discharge from clinic.
provider. I will not increase the dose or supply of extra doses may be prescribe	d. I will take the medication at the dose and frequency ordered by my frequency of my medication on my own. I understand that only a small ed each month upon my provider's discretion. I agree to keep track of well they are working for me to share with my provider at ep diary.
benzodiazepines with other medication non-prescription codeine) or with alcohol.	nedications or Alcohol with this medication. Use of as that may cause drowsiness such as opioid pain relievers (including of can be serious and life-threatening. Naloxone will not reverse the ill not combine my medication with other drugs without consulting my diazepine medication with alcohol.
that the combination of these medication	cation in addition to my benzodiazepine medication I understand ons may result in extreme sedation, respiratory depression, and on the risks associated with this combination of medication.
causepotentiallyseriouswithdrawalsym	on. Discontinuing benzodiazepines suddenly after extended use can aptoms. The likelihood of experiencing withdrawal can be reduced by I will consult with my provider before stopping my medication to
	tendance and participating in consultations. I understand that I need to doctor. I must also be willing to fully participate in other treatments or recommended by my provider.

	7. Receiving medications from a single pharmacy. choice which will be		
	different pharmacy, I will notify my provider.		
	will not share or give my prescribed benzodiazepine m	ne medication remaining that I no longer need (e.g. in the d), I will take it to my pharmacy for safedisposal. I	
	a urine drug screening sample or a count of my pills	pring policies. I understand that my provider may ask me for at any time. These measures are performed for all patients. Further refills/prescriptions will be tied to completion of	;
		ncareprofessionals if medically necessary. Lagree that my other health professionals involved in my care if necessary. In tagreement.	
		determines that the medication is causing memore harm discontinue my benzodiazepine medication in a safe way. I ent from my provider if I break any	
	is document was discussed between me and my proirm my understanding and acceptance of the term	wider. I was given the opportunity to ask questions. In a sof this agreement by signing this document.	
Pat	ient's Printed Name	Patient's Signature	
Pro	ovider's Printed Name	Provider's Signature	